

Layout


Danang Wahyu Utomo

danang.wu@dsn.dinus.ac.id

+6285 740 955 623

Layout using <div> Element

- ▶ <div> element digunakan sebagai pengatur layout, karena posisi bisa diletakkan secara dinamis menggunakan CSS



Layout using <div> Element

```
<div id="header">  
<h1>City Gallery</h1>  
</div>
```

```
<div id="nav">  
Menu 1<br>  
Menu 2<br>  
Menu 3<br>  
</div>
```

```
<div id="section">  
<h2>Menu 1</h2>  
<p>  
In this segment show the content of menu 1.  
this segment easily be positioned with CSS  
</p>  
</div>
```

```
<div id="footer">Copyright © Information Technology</div>
```

Layout using <div> Element

```
<style>
#header {
  background-color:red;
  color:white;
  text-align:center;
  padding:5px;
}
#nav {
  line-height:30px;
  background-color:#eeeeee;
  height:300px;
  width:100px;
  float:left;
  padding:5px;
}
</style>
```

```
<style>
#section {
  width:350px;
  float:left;
  padding:10px;
}
#footer {
  background-color:green;
  color:white;
  clear:both;
  text-align:center;
  padding:5px;
}
</style>
```



Layout Using Table

- ▶ Tag table tidak digunakan untuk layout web
- ▶ Tag table digunakan untuk menampilkan tabular data

Header	
Menu	Content
Footer	



Layout Using Table

```
<table width="750" align="center" cellpadding="0" cellspacing="1">
  <tr><td colspan="2"></td></tr>
  <tr>
    <td bgcolor="#FFFF00" width="35%">New Release :<br />
      <a href="#">Code Academy</a><br />
      <a href="#">W3Schools</a><br />
      <a href="#">StackOverflow</a><br /><br /><br /><br /><br />
    </td>
    <td>Home<br />In this page, consist of content of menu in the left
page</td></tr>
  <tr><td bgcolor="#FFFF00" colspan="2" align="center" height="25">
    <font face="Tahoma" size="2" color="#000000">Collaborative Game
Education 2015</font>
  </td></tr>
</table>
```

Latihan

- ▶ Buat layout menggunakan `<div>` atau `<table>`

Header		
Menu 1	Content 1	Menu 2
	Content 2	
Footer		

