

DAFTAR PUSTAKA

- [1] C.-F. Lee, H.-L. Chen, and H.-K. Tso, “Embedding Capacity Raising in Reversible Data Hiding Based on Prediction of Difference Expansion,” *J. Syst. Softw.*, vol. 83, no. 10, pp. 1864–1872, Oct. 2010.
- [2] Azam Abu, Nur, Wahyu Adi, Prajanto, and Mohd, Othman, “Robust Digital Image Steganography within Coefficient Difference on Integer Haar Wavelet Transform”, *IJVIPNS-IJENS* Vol:14 No:02, Apr. 2014.
- [3] J. Xu, A. H. Sung, P. Shi, and Q. Liu, “JPEG Compression Immune Steganography Using Wavelet Transform,” in *International Conference on Information Technology: Coding and Computing (ITCC), Volume: 2*, 2004, pp. 704–708.
- [4] J. K. Mandal dan Debashis Das, “Steganography using Adaptive Pixel Value Differencing (APVD) of Gray Image Through Exclusion of Overflow/Underflow”. 2012.
- [5] S. N. Mali, P. M. Patil, and R. M. Jalnekar, “Robust and Secured Image-Adaptive Data Hiding,” *Digit. Signal Process.*, vol. 22, no. 2, pp. 314–323, Mar. 2012.
- [6] H. Luo, F.-X. Yu, H. Chen, Z.-L. Huang, H. Li, and P.-H. Wang, “Reversible Data Hiding Based on Block Median Preservation,” *Inf. Sci. (Ny)*, vol. 181, no. 2, pp. 308–328, Jan. 2011.
- [7] S. Bhattacharyya and G. Sanyal, “Data Hiding in Images in Discrete Wavelet Domain Using PMM,” *World Acad. Sci. Eng. Technol.*, vol. 44, pp. 597–605, 2010.
- [8] N. A. Abu, F. Ernawan, N. Suryana, and S. Sahib, “Image Watermarking Using Psychovisual Threshold Over the Edge,” in *Proceedings of the 2013 International Conference on Information and Communication Technology (ICT-EurAsia 2013)*, 2013, pp. 519–527.

- [9] D. Wu and W. Tsai, "A Steganographic Method for Images by Pixel-Value Differencing," *Pattern Recognit. Lett.*, vol. 24, no. 9–10, pp. 1613–1626, 2003.
- [10] A. A. Shejul and U. L. Kulkarni, "A DWT Based Approach for Steganography Using Biometrics," in *International Conference on Data Storage and Data Engineering*, 2010, pp. 39–43.
- [11] C.-H. Yang, C.-Y. Weng, H.-K. Tso, and S.-J. Wang, "A Data Hiding Scheme Using the Varieties of Pixel-Value Differencing in Multimedia Images," *J. Syst. Softw.*, vol. 84, no. 4, pp. 669–678, Apr. 2011.
- [12] S. Bhattacharyya, "A Survey of Steganography and Steganalysis Technique in Image, Text, Audio and Video as Cover Carrier," *J. Glob. Res. Comput. Sci.*, vol. 2, no. 4, pp. 1 – 16, 2011.
- [13] N. A. Abu, F. Ernawan, and S. Sahib, "Psychovisual Model on Discrete Orthonormal Transform," in *International Conference on Mathematical Sciences and Statistics 2013 (IICMSS2013)*, 2013, vol. 309, pp. 309–314.
- [14] R. O. El Safy, H. H. Zayed, and A. El Dessouki, "An Adaptive Steganographic Technique Based on Integer Wavelet Transform," in *International Conference on Networking and Media Convergence (ICNM)*, 2009, pp. 111–117.
- [15] S. Hemalatha, A. Renuka, U. Dinesh Acharya, and P. R. Kamath, "A Secure Image Steganography Technique Using Integer Wavelet Transform," in *World Congress on Information and Communication Technologies*, 2012, pp. 755–758.
- [16] P. Tsai, Y.-C. Hu, and H.-L. Yeh, "Reversible Image Hiding Scheme Using Predictive Coding and Histogram Shifting," *Signal Processing*, vol. 89, no. 6, pp. 1129–1143, Jun. 2009.