

Undergraduate of Public Health Major
Health Faculty of Dian Nuswantoro University
Semarang
2011

ABSTRACT

Sulistiani Setya Rahayu

RELATIONS BETWEEN PARENTS PARENTING PRACTICE WITH PULMONARY TB HEALING IN CHILDREN AGED 0-4 YEARS THAT CONDUCT THE TREATMENT IN BKPM (PULMONARY PUBLIC HEALTH CENTER) IN SEMARANG 2011

Xvi + 83 pages + 18 tables + 2 diagrams + 7 attachments

Pulmonary TB is a contagious infectious disease directly attack the lung parenchyma caused by the Mycobacterium tuberculosis bacillus. Data of children with pulmonary TB in BKPM Semarang in 2010 is as many as 142 children. With the number of children aged 0-4 years are 43 children. The purpose of this research is to find out relation between parents parenting practice with pulmonary TB healing in children aged 0-4 years. In addition, since there is no previous research on the issue of pulmonary TB healing in children.

The method used in this research is Analytical method with Cross Sectional study design. Data collection techniques are to do interviews using a questionnaire and FFQ (Food Frequency Questionnaire). The samples used are the entirety of the population, which are already using inclusion and exclusion criteria with a number of 32 samples. The statistic test used in this research are Chi Square with 0,05% significant level.

The results from each researched variables shows that there is no relation between provision of nutritious food with pulmonary TB healing in children ($p\ value = 1,000$), there is relation between giving medication adherence with pulmonary TB healing in children ($p\ value = 0,0001$), there is relation between healthcare visits compliance with pulmonary TB healing in children ($p\ value = 0,0001$). And discovered five of contact person are 3 contacts of the children who recovered and 2 contacts of children who did not recover. Whereas the contact person prevention carried out by the parents, mostly are already well.

Based on the results, researcher suggested conducting the same research with parent's education level and age variables. For the Children TB officers to always motivate parents to be diligent to come to health service and direct counseling to the pulmonary TB patients' houses. And for the parents to always maintain their children's health in order to not easily infected with pulmonary TB disease, prevention against contact person, give medication and come to the health center on time and provide nutritious food for the children.

Keywords : Pulmonary TB, healing, parents parenting
Literatures : 34 books, 1974-2011

Program Studi S1 Kesehatan Masyarakat
Fakultas Kesehatan Universitas Dian Nuswantoro
Semarang
2011

ABSTRAK

Sulistiani Setya Rahayu

HUBUNGAN PRAKTIK POLA ASUH ORANG TUA DENGAN KESEMBUHAN TB PARU PADA ANAK USIA 0-4 TAHUN YANG MELAKUKAN PENGOBATAN DI BKPM (BALAI KESEHATAN PARU MASYARAKAT) SEMARANG TAHUN 2011

Xvi + 83 halaman + 18 tabel + 2 bagan + 7 lampiran

TB Paru adalah suatu penyakit infeksi yang menular langsung mengenai parenkim paru yang disebabkan oleh basil *Mycobacterium tuberculosis*. Data anak dengan TB Paru di BKPM Semarang tahun 2010 sebanyak 142 anak. Dengan jumlah anak usia 0-4 tahun sebanyak 43 anak. Tujuan dari penelitian ini adalah untuk mengetahui praktik pola asuh orang tua dengan kesembuhan TB Paru pada anak usia 0-4 tahun. Selain itu juga karena sebelumnya belum pernah ada penelitian yang meneliti masalah kesembuhan TB Paru pada anak.

Metode yang digunakan pada penelitian ini adalah metode analitik dengan pendekatan *cross sectional*. Teknik pengambilan datanya yaitu melakukan wawancara dengan menggunakan kuesioner dan FFQ (*food frequency questioner*). Sampel yang digunakan adalah keseluruhan dari populasi, yang sudah menggunakan kriteria inklusi dan eksklusi sebanyak 32 sampel. Uji statistik yang digunakan dalam penelitian ini adalah *chi square* dengan tingkat kemaknaan 0,05%.

Hasil penelitian dari masing-masing variabel yang diteliti menunjukkan bahwa tidak ada hubungan antara pemberian makanan bergizi dengan kesembuhan TB Paru pada anak (nilai *p value* = 1,000), ada hubungan antara kepatuhan memberi obat dengan kesembuhan TB Paru pada anak (nilai *p value* = 0,0001), ada hubungan antara kepatuhan kunjungan ke pelayanan kesehatan dengan kesembuhan TB Paru pada anak (nilai *p value* = 0,0001). Serta ditemukan 5 *contact person*, 3 *contact* dari anak yang sembuh dan 2 *contact* dari anak yang tidak sembuh. Dimana cara pencegahan *contact person* yang dilakukan orang tua, sebagian besar sudah sangat baik.

Dari hasil penelitian tersebut peneliti menyarankan untuk dilakukan penelitian yang sama dengan variabel tingkat pendidikan dan umur dari orang tua. Bagi petugas TB Anak senantiasa memotivasi orang tua supaya rajin datang ke pelayanan kesehatan serta penyuluhan langsung ke rumah penderita TB Paru. Dan orang tua selalu menjaga kesehatan anaknya agar tidak mudah tertular penyakit TB Paru, mpencegahan terhadap *contact person*, memberikan obat dan datang ke pelayanan kesehatan tepat waktu serta memberikan makanan bergizi bagi anak.

Kata kunci : TB Paru, Kesembuhan, Pola Asuh Orang Tua
Kepustakaan : 34 buah, 1974-2011

